

3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273

info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005

1 of 2

TPM03075S-TPM00521415

Sample ID: 2104PSI0269.04396 Strain: N/A Matrix: Concentrates & Extracts Type: Other

METRC Batch ID:

METRC Sample:

Produced: Date Received: 04/23/2021 Completed: 04/29/2021 Sample Size: -; Batch: -

Pure Biologix Lic.# 977 Irvin St Plymouth, MI 48170

E PSI LABS

Cannabinoids

ND

840.28

Total THC (mg/unit) Total CBD (mg/unit)

Testing Method: HPLC-DAD / SOP - PSIMTDA Date Tested: 04/27/2021 1 Unit = 30mL, 27.63g

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.40	ND	ND
∆9-THC	0.40	ND	ND
∆8-THC	0.40	ND	ND
THCV	0.40	ND	ND
CBDa	0.40	334.32	12.10
CBD	0.40	547.07	19.80
CBN	0.40	ND	ND
CBGa	0.40	ND	ND
CBG	0.40	ND	ND
CBC	0.40	11.05	0.40
Total		892.45	32.30

1030755-TPN .639/30ml POTEN -4396 MAIHL-PAK

Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation, ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Notes: The following cannabinoids were detected in greater than 2.5% of the total Safety cannabinoid content: CBCA - 0.13% Foreign Matter Visual Exam / SOP - PSIMTDF Pass f f.m ac-MR Lev Spivak-Birndorf



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

CSO



3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005

TPM03075S-TPM00521415

Sample ID: 2104PSI0269.04396 Strain: N/A Matrix: Concentrates & Extracts Type: Other METRC Batch ID:

METRC Sample:

Produced: Date Received: 04/23/2021 Completed: 04/29/2021 Sample Size: - ; Batch: -

Pure Biologix Lic. # 977 Irvin St Plymouth, MI 48170

Foreign Matter Pass

Notes:

Date Tested: Testing Method: Visual Exam / SOP - PSIMTDF









Lev Spivak-Birndorf CSO

This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

2 of 2